





# tutorial summerlegs

eu size 32 - 60



This pattern comes with many variations. High or low waist, two different size pockets and back pockets. Three lengths of the pants, retro, short and knee length. Slim or wide leg.

Seam/hem allowance is not included.



sewingheartdesign

<https://sewingheartdesign.wordpress.com/>

# information

## **SALES LICENSE**

Included with the patterns is a sales license. That means that you as individual who sews as a hobby or owns a business have the right to use the patterns to sell clothes. The license applies only for the buyer of the pattern and the license terms cannot be transferred to a third party. Which means that you cannot let another physical or legal person produce clothes on a large scale on your behalf.

## **SEAM ALLOWANCE/HEM NOT INCLUDED**

You should add seam allowance on ALL patterns except where you intend to add binding or if the patterns says otherwise. I recommend that you read through the sewing instructions. Within it are instructions both in picture and text which will facilitate your sewing.

## **PAPER PATTERN**

The paper patterns are sensitive to moisture and tear. Handle with care. On certain paper patterns the parts are split due to lack of space. Read the instructions carefully to know if they are to be stenciled and put together in a certain way. When you sell your pattern, you must destroy all copies that you have made.

## **PDF-PATTERN**

Files are downloaded directly from your page on Etsy – after purchase they will be added to “purchases”. They are PDF-files and I recommend a pdf-reader with a setting to switch to “real size” and “automatic portrait/landscape” when printing. For example, Adobe Reader or PDF X-change. It is important to measure the control box so that it is exactly 30mm \* 30mm or your garment might not end up the way you imagine. PDF is easy to print. Utilize the layers to only print the page you want to sew and cut it directly. There are arrows on the pattern and they should align towards each other when you put the pattern together. There is also an overview of the pattern where you can see how the different pages should be positioned.

Because a PDF-pattern is a digital product there are no refunds or returns.

The PDF-Pattern may not be copied and/or sold/donated to a third party.

## **LICENSE**

When you purchase a pattern, you agree to an agreement with Sewingheartdesign that you accept the license with its terms and conditions. Violation of this agreement will be brought before the Swedish court.

I hope you will be satisfied with the pattern! Good luck with the sewing!

/Marie Sidén

Sewingheartdesign

# fabric requirement

Fabric required is calculated with pre-washed fabric, 160 cm with, seam allowance included (1 cm) and hem (3 cm)

*ALL MEASUREMENTS ARE CALCULATED FOR A BODY LENGTH OF 190CM.*

SIZE	BODY LENGTH 150cm	BODY LENGTH 190cm
32-34	50 cm	55 cm
36-50	55 cm	60 cm
52-60	120 cm	130 cm

## POCKETS IN DIFFERENT FABRIC

32-60                  30 cm

## KNIT BINDING, HEIGHT: 20 cm

SIZE	32-34	36-38	40-42	44-46	48-50	52-54	56-58-60
WIDTH	70	80	85	90	100	105	115 cm

# tutorial

SEAM/HEM ALLOWANCE NOT INCLUDED.

Choose your body length on the pattern.

SRAIGHT SHORTS	s 4
RETROSHORTS	s 9
BACK POCKET	s 13
KNIT BINDING	s 17

# tutorial

SEAM ALLOWANCE/HEM NOT INCLUDED.

Choose your body length on the pattern.



Cut the parts. Add seam/hem allowance.



Place the front piece right sides together and stitch the crotch seam. Repeat with back pieces.



Pockets: Bind the pocket openings.



Put the front piece with wrong side up. Glue or pin the pockets and place the pockets on edge with the pant piece on both sides.



Attach the pockets with a decorative stitch.



With right sides together, sew the side seams.



Fold the fabric and make sure that the crotch seam fits. (Fabric right to right) Sew the inner leg seam together.



Stich the cuff, fold it and and put it inside the shorts with raw edges out. Stich down the cuffs and fold out the pants.



Hem the legs.

Done!

# retro shorts

SEAM ALLOWANCE/HEM NOT INCLUDED.

Choose your body length on the pattern.



Cut the parts. Add seam/hem allowance.



Pockets: Bind the pocket openings.



Put the front piece with wrong side up. Glue or pin the pockets and place the pockets on edge with the pant piece on both sides.



Attach the pockets with a decorative stitch.




Place the front piece right sides together and stitch the crotch seam.

# back pocket

ADD 2CM HEM ON TOP AND 1CM AT THE SIDES.



Fold the top and hem the top.



Fold in the sides, pin/glue if necessary.



TIP: Cut out the mark for the back pocket and place the pattern piece on the fabric. Fit the pocket in the hole and pin/glue in place.



Stitch the pockets to the back pieces.



Place the back pieces right sides together and stitch the crotch seam.



Fold the fabric and make sure that the crotch seam fits. (Fabric right to right) Sew the inner leg seam together.

# knit binding



*Alt 1.*



*Alt 2.*

Knit binding in two ways. Choose witch way you find easier.

Alt 1. Knit bind the whole front piece, around the leg opening and the curve up towards the back but stop at the straight side.

Alt 2. Knit bind the whole outer edge.



Put the front piece over the back piece and stitch along the knit binding.



Stich the cuff, fold it and and put it inside the shorts with raw edges out. Stich down the cuffs and fold out the pants.



Done!