



tutorial

rainy day

eu size 32 - 60



This pattern includes different variations. Regular or boat neck. Top, tunic, knee length or top with skirt. Sleeveless, 3/4 or long sleeve. Pockets.

Seam allowance is not included. Add seam allowance for hem.



sewingheartdesign

<https://sewingheartdesign.wordpress.com/>

SALES LICENSE

Included with the patterns is a sales license. That means that you as individual who sews as a hobby or owns a business have the right to use the patterns to sell clothes. The license applies only for the buyer of the pattern and the license terms cannot be transferred to a third party. Which means that you cannot let another physical or legal person produce clothes on a large scale on your behalf.

SEAM ALLOWANCE/HEM NOT INCLUDED

You should add seam allowance on ALL patterns except where you intend to add binding or if the patterns says otherwise. I recommend that you read through the tutorial. Within it are instructions both in picture and text which will facilitate your sewing.

PAPER PATTERN

The paper patterns are sensitive to moisture and tear. Handle with care. On certain paper patterns the parts are split due to lack of space. Read the instructions carefully to know if they are to be stenciled and put together in a certain way.

PDF-PATTERN

Files are downloaded directly from your page on Etsy – after purchase they will be added to “purchases”. They are PDF-files and I recommend a pdf-reader with a setting to switch to “real size” and “automatic portrait/landscape” when printing. For example, Adobe Reader or PDF X-change. It is important to measure the control box so that it is exactly 30mm * 30mm or your garment might not end up the way you imagine. PDF is easy to print. Utilize the layers to only print the page you want to sew and cut it directly. There are arrows on the pattern and they should align towards each other when you put the pattern together. There is also an overview of the pattern where you can see how the different pages should be positioned.

Because a PDF-pattern is a digital product there are no refunds or returns.

[The PDF-Pattern may not be copied and/or sold/donated to a third party.](#)

LICENSE

When you purchase a pattern, you agree to an agreement with Sewingheartdesign that you accept the license with its terms and conditions. Violation of this agreement will be brought before the Swedish court.

I hope you will be satisfied with the pattern! Good luck with the sewing!

/Marie Sidén

Sewingheartdesign

fabric requirement

Fabric usage is calculated on washed/shrunk fabric 160cm wide, including seam allowance (1cm) and hem (3cm).

ALL MEASUREMENTS ARE CALCULATED FOR A BODY LENGTH OF 190CM.

RECOMMENDED FABRIC: **VISCOSEJERSEY**

FABRIC REQUIREMENT (160 cm WIDTH)

SIZE BODY LENGTH 150/170/190cm

SHORT TOP

32-44	70/75/75 cm
46-60	130/140/150 cm

SKIRT

32-44	90/95/100 cm
46-60	200/200/210 cm

TOP

32-44	80/80/85 cm
46-60	150/160/170 cm

TUNIC

32-44	90/95/95 cm
46-60	165/175/185 cm

DRESS

32-44	200/210/220 cm
46-60	215/225/235 cm

pages

SEAM/HEM ALLOWANCE NOT INCLUDED.

RECOMMENDED FABRIC: **VISCOSEJERSEY**

FRONT PIECE: PUT TOGETHER THE PATTERN AT THE PARTITION LINE ON THE BACK PIECE.

Choose your body length on the pattern.

TUTORIAL	s 4
LONG SLEEVE	s 6
TOP WITH SKIRT	s 9

tutorial

SEAM/HEM ALLOWANCE NOT INCLUDED.

RECOMMENDED FABRIC: **VISCOSEJERSEY**

FRONT PIECE: PUT TOGETHER THE PATTERN AT THE PARTITION LINE ON THE BACK PIECE.

Choose your body length on the pattern.



Cut out the parts you are going to use.



Add a piece of woven fabric in the neckline to avoid it from stretching. Hem the neck.



Hem the front piece or stitch with overlock.



Put the parts right side together. Fold the front neckline towards the back piece. Add a piece of woven fabric in the shoulder line to avoid it from stretching. Stitch both shoulders.

long sleeve



Cut for hem.



Fold the fabric.



Cut the side of the sleeve.



The shape makes it easy to hem.



Stitch the sleeve.



Stitch the side seams.



Hem the sleeves.



Top, tunic or dress: Hem the bottom.



Done!

top with skirt



Skirt with four parts (*not placed on fold*). Skirt with two parts (*placed on fold*).

Put the skirts right sides together. Stitch the side seams.



Put the skirt and top right sides together and pin at at least four places.



Stitch together. (pictures show skirt with four pieces)



Hem the sleeves.



Hem the bottom.



Done!