


tutorial mister longies

eu size XS – 6XL



This pattern comes with many variations. Four lengths of the pants. High, medium or low waist. With/without fly opening. Select hemming or sewing cuffs at the leg. Elastic or knit waist band.

Seam/hem allowance is not included



sewingheartdesign.com

information

SALES LICENSE

Included with the patterns is a sales license. That means that you as individual who sews as a hobby or owns a business have the right to use the patterns to sell clothes. The license applies only for the buyer of the pattern and the license terms cannot be transferred to a third party. Which means that you cannot let another physical or legal person produce clothes on a large scale on your behalf.

SEAM ALLOWANCE/HEM NOT INCLUDED

You should add seam allowance on ALL patterns except where you intend to add binding or if the patterns says otherwise. I recommend that you read through the sewing instructions. Within it are instructions both in picture and text which will facilitate your sewing.

PAPER PATTERN

The paper patterns are sensitive to moisture and tear. Handle with care. On certain paper patterns the parts are split due to lack of space. Read the instructions carefully to know if they are to be stenciled and put together in a certain way. When you sell your pattern, you must destroy all copies that you have made.

PDF-PATTERN

Files are downloaded directly from your page on Etsy – after purchase they will be added to “purchases”. They are PDF-files and I recommend a pdf-reader with a setting to switch to “real size” and “automatic portrait/landscape” when printing. For example, Adobe Reader or PDF X-change. It is important to measure the control box so that it is exactly 30mm * 30mm or your garment might not end up the way you imagine. PDF is easy to print. Utilize the layers to only print the page you want to sew and cut it directly. There are arrows on the pattern and they should align towards each other when you put the pattern together. There is also an overview of the pattern where you can see how the different pages should be positioned.

Because a PDF-pattern is a digital product there are no refunds or returns.

The PDF-Pattern may not be copied and/or sold/donated to a third party.

LICENSE

When you purchase a pattern, you agree to an agreement with Sewingheartdesign that you accept the license with its terms and conditions. Violation of this agreement will be brought before the Swedish court.

I hope you will be satisfied with the pattern! Good luck with the sewing!

/Marie Sidén

Sewingheartdesign

fabric requirement

Fabric required is calculated with pre-washed fabric, 160 cm with, seam allowance included (1 cm) and hem (3 cm)

BODY LENGTH 160/180/200 cm

SIZE	SHORT LEGS	MEDIUM LEGS	LONG WITH CUFFS	LONG LEGS
XS-L	50/50/55 cm	55/60/65 cm	90/95/100 cm	100/105/110 cm
2XL-6XL	50/55/55 cm	60/70/75 cm	100/105/110 cm	110/115/120 cm

pages

SEAM/HEM ALLOWANCE NOT INCLUDED.

Choose your body length on the pattern.

WITHOUT FLY OPENING	p 4
WITH FLY OPENING	p 10
CUFFS	p 15
HEM	p 17

without fly opening

SEAM ALLOWANCE/HEM NOT INCLUDED.

Choose your body length on the pattern.



Cut the parts. Add seam/hem allowance.



Stitch lower part of crotch piece on both pieces.



Add crotch pieces right sides together and add one front piece between and sew the three layers.



Roll the front piece.



Roll the other front piece in the same way. Place on top of the other front piece



Match all three fabric layers, make sure nothing gets wrong



When it is combined, unfold it.



Inside front



Outside front piece



Add back pieces right sides together and sew the crotch seam



Fold the fabric so that the legs / crotch meet. Sew the inner leg seam.

Select hemming or sewing cuffs at the leg. Look at p. 15-18

Done!

with fly opening

SEAM ALLOWANCE/HEM NOT INCLUDED.
Choose your body length on the pattern.



Cut out the parts reversed.



Bind the opening on both parts



Put them on top of each other, wrong sides together



Add crotch pieces right sides together on one front piece and sew



Add crotch pieces on top of other front piece right sides together and sew



Outside



Inside



Add back pieces right sides together and sew the crotch seam




Put the back piece on the front piece and sew the side seams and the inner leg seam



Select hemming or sewing cuffs at the leg. Look at p. 15-18

cuffs



In the model with cuffs in the waist and / or leg end cut cuff in the waist and / or leg cuffs.



Fold the cuff in half and sew side



Fold so that the seam is inside the cuff



Insert the cuff of the garment so that the raw side is outward. Stretch it while stitching.

hem



Fold up the hem and pin or use clips



Fold with stretchy seam



Done!