
# tutorial lady boxers

eu size 32/34 - 60





Fantastic pattern with good fit and simple construction.

Ladies boxer with a comfortable fit. Choose from four different leg lengths, from no legs to extra long legs. Three heights on the waist are enough to make it fit nicely and suit you. It is possible to divide the front piece to create effect.

This pattern is intended for knitwear / jersey.

Seam allowance is included for knit binding or fold over elastic. Add seam allowance for panty elastic/elastic.



### information

#### **SALES LICENSE**

Included with the patterns is a sales license. That means that you as individual who sews as a hobby or owns a business have the right to use the patterns to sell clothes. The license applies only for the buyer of the pattern and the license terms cannot be transferred to a third party. Which means that you cannot let another physical or legal person produce clothes on a large scale on your behalf.

#### SEAM ALLOWANCE/HEM NOT INCLUDED

You should add seam allowance on ALL patterns except where you intend to add binding or if the patterns says otherwise. I recommend that you read through the sewing instructions. Within it are instructions both in picture and text which will facilitate your sewing.

#### **PAPER PATTERN**

The paper patterns are sensitive to moisture and tear. Handle with care. On certain paper patterns the parts are split due to lack of space. Read the instructions carefully to know if they are to be stenciled and put together in a certain way. When you sell your pattern, you must destroy all copies that you have made.

#### **PDF-PATTERN**

Files are downloaded directly from your page on Etsy – after purchase they will be added to "purchases". They are PDF-files and I recommend a pdf-reader with a setting to switch to "real size" and "automatic portrait/landscape" when printing. For example, Adobe Reader or PDF X-change. It is important to measure the control box so that it is exactly 30mm \* 30mm or your garment might not end up the way you imagine. PDF is easy to print. Utilize the layers to only print the page you want to sew and cut it directly. There are arrows on the pattern and they should align towards each other when you put the pattern together. There is also an overview of the pattern where you can see how the different pages should be positioned.

Because a PDF-pattern is a digital product there are no refunds or returns.

The PDF-Pattern may not be copied and/or sold/donated to a third party.

#### **LICENSE**

When you purchase a pattern, you agree to an agreement with Sewingheartdesign that you accept the license with its terms and conditions. Violation of this agreement will be brought before the Swedish court.

I hope you will be satisfied with the pattern! Good luck with the sewing!

/Marie Sidén

Sewingheartdesign

## fabric requirement

Fabric required is calculated with pre-washed fabric, 160 cm with, seam allowance included (1 cm) and hem (3 cm)

36/38	44/46	52/54	60
20	25	25	25
25	25	30	30
30	35	35	35
35	40	40	40
	20 25 30	20 25 25 25 30 35	20     25     25       25     25     30       30     35     35

pages

SEAM ALLOWANCE IS INCLUDED FOR KNIT BINDING OR FOLD OVER ELASTIC.

ADD SEAM ALLOWANCE FOR ELASTIC.

WITHOUT SIDE PIECE	p 4
WITH SIDE PIECE	p 11
FINISHING KNIT BINDING	p 20

### without side piece

SEAM ALLOWANCE IS INCLUDED FOR KNIT BINDING OR FOLD OVER ELASTIC.

ADD SEAM ALLOWANCE FOR ELASTIC.

Elastic: Soft elastic 25mm wide.

**Hem the legs:** No extra hem allowance is needed for the inner crotch piece as it ends up in the hem of the outer crotch piece.



Cut the parts. Add seam/hem allowance for the parts that will be stitched. Add seam allowance at the top and bottom for panty elastic.



Inner crotch piece at the bottom.

**Hem the legs:** No extra hem allowance is needed for the inner crotch piece as it ends up in the hem of the outer crotch piece.



Place the longer/outer crotch piece right side with the front piece. Place the inner crotch piece right side with the wrong side of the front piece. Stitch the crotch.



Picture of the leg/crotch pieces for hemming of the legs.



Fold the top ctrotch piece.



Place the front piece and back piece right sides together.



Fold the top crotch piece against the back piece and pin in place.



Fold the bottom inner crotch piece and pin to the wrong side of the back piece.



Stitch all three layers.



Turn the panty out.



Place the front piece and back piece right sides together. Stitch the sideseams.

**Knit biding:** Don't stitch all the way. Leave a short piece for the knit bindings start/finnish.





Hem the legs. Or stitch foe/panty elastic.

### with side piece

SEAM ALLOWANCE IS INCLUDED FOR KNIT BINDING OR FOLD OVER ELASTIC.

ADD SEAM ALLOWANCE FOR ELASTIC.

Elastic: Soft elastic 25mm wide.

**Hem the legs:** No extra hem allowance is needed for the inner crotch piece as it ends up in the hem of the outer crotch piece.



Cut the parts. Add seam/hem allowance for the parts that will be stitched. Add seam allowance at the top and bottom for panty elastic.



Inner crotch piece at the bottom.

**Hem the legs:** No extra hem allowance is needed for the inner crotch piece as it ends up in the hem of the outer crotch piece.



Place the longer/outer crotch piece right side with the front piece. Place the inner crotch piece right side with the wrong side of the front piece. Stitch the crotch.



Picture of the leg/crotch pieces for hemming of the legs.



Fold the top ctrotch piece.



Place the front piece and back piece right sides together.



Fold the top crotch piece against the back piece and pin in place.



Fold the bottom inner crotch piece and pin to the wrong side of the back piece.



Stitch all three layers.



Turn the panty out.



Place the side piece and back piece right sides together. Stitch the sideseams. Repeat with the front piece.

**Knit biding:** Don't stitch all the way. Leave a short piece for the knit bindings start/finnish.



Hem the legs. Or stitch foe/panty elastic.



Done!

### finishing knit binding



Knit binding: Bind the edge.

<u>FOE:</u> Place the foe on the inside. Stitch with zigg-zagg while stretching it to 80% of the length. Fold it over to the right side and stitch a decorative stitch, zigg-zagg or 3-step zigg-zagg.

<u>Panty elastic:</u> Place the straight side of the panty elastic at the right side of the panty. Stitch with zigg-zagg while stretching it to apx 80% of the length. Fold it over to the wrong side and stitch a decorative stitch, zigg-zagg or 3-step zigg-zagg.



Finish off the bindings by doing a straight stitch across both ends.



Cut off one of the ends.



Fold over the other and straight stitch across.



Cut off the excess.



Done!